

Link do produktu: <https://sklep.k2rowery.pl/rower-merida-reacto-6000-2223-black-black-p-31725.html>

Rower Merida REACTO 6000 22/23 BLACK (BLACK)



Dostępność

PRODUKT ARCHIWALNY

Numer katalogowy

merida/ROADRACE/5

Producent

MERIDA

Opis produktu

Rower Merida REACTO 6000 22/23



Highly praised by the cycling press, the 6000 Di2 is a fantastic bike to find your racing legs with. Precise shifting and pinpoint braking of Shimano's 105 Di2 groupset perfectly combine with the race-geometry of the lightweight CF3 carbon frame.

Bikeradar gave the mechanical Ultegra equipped REACTO 6000 a 4.5 out of 5 stars rating and called it 'a fast aero road bike with impressively confident handling characteristics'. Superb feedback on our mid-level aero bike and confirmation that we have got the balance between aerodynamic, weight, frame stiffness, comfort and geometry just right. The latest 6000 edition combines the same highly praised lightweight CF3 carbon frame with the latest Shimano 105 Di2 groupset and an



FSA/MERIDA cockpit combination.

- **Lightweight CF3 carbon aero frame (approx. 1,150 g - in size M)**
- **Shimano 105 Di2 electronic 12-speed groupset**
- **FSA ACR SMR stem/MERIDA EXPERT CW handlebar combination**
- **WIRE PORT cable integration**
- **MERIDA S-FLEX carbon aero post**
- **DISC COOLER technology**

Specyfikacja

RAMA: REACTO CF3 IV

- material: carbon
- 700x30C max. wheelsize
- 100x12/ 142x12mm axle standard
- BB86,5 bottom bracket standard

ROZMIAR RAMY: XXS, XS, S, M, L, XL

KOLOR: BLACK (BLACK)

WIDELEC: REACTO CF3 IV DISC

- material: carbon
- 700x30C max. wheelsize

KLAMKA HAMULCOWA: Shimano 105

HAMULEC PRZÓD: Shimano 105

- Hydraulic disc

HAMULEC TYŁ: Shimano 105

- Hydraulic disc

TARCZA HAMULCOWA PRZÓD: Shimano RT64

- 160mm

TARCZA HAMULCOWA TYŁ: Shimano RT64

- 160mm

STERY: FSA ACR

KIEROWNICA: MERIDA EXPERT CW

- material: aluminium
- 380mm (XXS)
- 400mm (XS)
- 420mm (S/M/L), 440 (XL)

MOSTEK: FSA SMR ACR

- material: aluminium
- -6° stem angle
- 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL

ROZMIAR MOSTKA: 90 mm-XXS/XS, 100 mm-S, 110 mm-M, 120 mm-L/XL

CHWYTY KIEROWNICY: MERIDA ROAD Expert

PRZERZUTKA TYŁ: Shimano 105 Di2

PRZERZUTKA PRZEDNIA: Shimano 105 Di2

MANETKA TYŁ: Shimano 105 disc Di2



MANETKA PRZÓD: Shimano 105 disc Di2

SZTYCA: MERIDA Team CW

- Aero shape
- 15mm setback
- Carbon

OBEJMA PODSIODŁOWA: MERIDA REACTO Aero

SIODŁO: MERIDA EXPERT SL

- V-mount
- incl. MERIDA minitool

ŁAŃCUCH: Shimano CN-M6100-12

KASETA/WOLNOBIEG: Shimano CS-R7100

- 11-34 teeth
- 12 speed

WKŁAD SUPORTU: SM-BB72-41B, Pressfit 86.5

KORBA: Shimano 105

- FCR7100, 50-34 teeth
- 165 mm-XXS, 170 mm-XS, 172.5 mm-S/M, 175 mm-L/XL

PIASTA PRZÓD: VP CLK170F

- 100x12mm width front hub
- 28 spoke holes, Centerlock

PIASTA TYŁ: VP 270SB

- 12-142mm width rear hub
- 28 spoke holes
- Centerlock

OBREZCZ: MERIDA EXPERT CW

- 19mm inner width
- 30mm height
- material: aluminium
- Tubeless ready (tubeless tape and valves not included)

SZPRYCHY: Double Butted Black stainless

OŚ PRZÓD: MERIDA EXPERT SL

OŚ TYŁ: MERIDA EXPERT SL

- including removable lever
- 6/4mm allen key


OPONA PRZÓD: Continental Grand Sport Race

- 700x25C
- fold

OPONA TYŁ: Continental Grand Sport Race

- 700x25C
- fold

DĘTKI: Ultralite 60

TYLNE ŚWIATŁO: REACTO light seat post + Battery
Geometria


Rozmiar ramy	XXS	XS	S	M	L	XL
Rozmiar opon	28"	28"	28"	28"	28"	28"
ST - rura podsiodłowa [mm]	470	500	520	540	560	590
TT - długość ramy [mm]	520	536	545	560	575	590
CS - dolne rury tylnego trójkąta [mm]	408	408	408	408	408	408
HTA - kąt główki ramy [stopnie]	70.5	72	72.5	73.5	73.5	74
STA - kąt rury podsiodłowej [°]	74.5	74	74	73.5	73	73
Bd - położenie środka suportu [mm]	70	70	66	66	66	66
Ht - wysokość główki ramy [mm]	105	112	128	140	155	176
Fl - długość widelca [mm]	385	385	385	385	385	385
R - reach - zasięg [mm]	377	384	390	395	400	409
S - stack - wysokość ramy [mm]	517	529	542	557	571	593
WB - baza kół [mm]	985	983	990	990	999	1010
Sh - wysokość górnej rury od podłoża - przekrój [Mm]	746	771	792	810	826	853

Ze względu na wysokie standardy jakościowe rowerów MERIDA wszystkie modele tej marki sprzedajemy wyłącznie kompletnie zmontowane do jazdy, z przeglądem "0". Obsługa ta jest dla naszych klientów



CENTRUM ROWEROWE

ul. Wojska Polskiego 28H 78-100 Kołobrzeg
tel. 094 354 78 74

K2 Centrum Rowerowe
Al. I Armii Wojska Polskiego 28H
78-100 Kołobrzeg
tel. 94-3547874; 507234283

BEZPŁATNA.



Produkt posiada dodatkowe opcje:

Rozmiar ramy: L , M , S , XL , XS , XXS